

TAPPCO lubricants

Sudan - Khartoum, P.O. Box: 13368

Khartoum (2) - Block No. 5 - Building No. 19

Tel: (+249) 183 5794 49 Fax: (+249) 183 5794 47

Email: Sales@Tappco-lubes.com Technical@Tappco-lubes.com

www.Tappco-lubes.com



Product Technical
Specification

HYDRAULIC HVI OIL

Product Description:

HYDRAULIC HVI OIL grades are a range of specialist premium quality, very high viscosity index multigrade hydraulic fluids. The economical operation of a hydraulic system is dependent on the correct hydraulic oil being used. HYDRAULIC HVI OIL range of hydraulic fluids is manufactured from highly refined base oils which have good oxidation resistance, lowering the possibility of gums and lacquers. They are blended using carefully selected additives and special viscosity index improvers which offer superior viscosity/temperature characteristics. They can be used where extremes of ambient temperatures are encountered.

Applications:

HYDRAULIC HVI OIL range of hydraulic oils is suitable for a wide range of industrial applications including those where low temperatures are encountered (frozen food stores etc), as well agricultural and construction sectors.

Availability:

This product is available in:
200 liters.

Typical Test Data:

ISO VG	15	22	32	46	68	100
Specific Gravity @ 15.6°C	0.848	0.850	0.870	0.882	0.884	0.888
Kinematic viscosity @ 40 °C (cSt)	15.0	22.0	32.0	46.0	68.0	100.0
Kinematic viscosity @ 100 °C (cSt)	3.90	5.00	6.50	8.40	10.90	15.10
Viscosity Index	154	155	155	156	157	158
Flash Point COC (°C)	150	185	205	212	218	225
Pour point (°C)	-38	-36	-34	-33	-33	-32

Benefits:

- High viscosity index
- Excellent low temperature performance
- Incorporates the latest corrosion inhibitors for protection against all forms of corrosion
- Highly shear stable providing stay-in-grade performance
- Good anti-foaming and air release properties
- Rapid water separation
- Exceptional anti-wear performance
- High oxidation resistance and thermal stability

Product Specification:

DIN	51524 part 3, category HVLP 51517 part 3
ISO	6743/4, category HV
Sperry Vickers	M-2950-S , I-286-S

Health & Safety: (Group 1)

Please refer to the relevant health and safety data sheet, a copy of which is freely available to all of our customers.

Issued by: TAPPCO - Technical Department - August 2016

Approved by: EXOL UK - Technical Department.